

اللَّهُمَّ صَلِّ عَلَى مُحَمَّدٍ وَعَلَى آلِ مُحَمَّدٍ

Online Course






Simulation and Numerical Modeling of Engineering Problems using

LS-DYNA

Course instructor

Ahmad Rahmati-Alaei

Assistant Professor, Department of Mechanical Engineering
National University of Skills (NUS), Tehran, Iran



Part 3

1

LS-DYNA Run Window (Details and sense switch command)

2

Element Types (Family, Shape, Degree, Formulation)

3

Bullet Penetration Simulation

LS-DYNA Run Window (Details and time step calculation)

```
initialization completed
  1 t 0.0000E+00 dt 2.55E-06 flush i/o buffers          10/19/22 13:54:37
  1 t 0.0000E+00 dt 2.55E-06 write d3plot file         10/19/22 13:54:37
cpu time per zone cycle.....          0 nanoseconds
average cpu time per zone cycle....    0 nanoseconds
average clock time per zone cycle..... 0 nanoseconds

estimated total cpu time                =          0 sec (          0 hrs  0 mins)
estimated cpu time to complete          =          0 sec (          0 hrs  0 mins)
estimated total clock time              =         641 sec (          0 hrs 10 mins)
estimated clock time to complete        =         641 sec (          0 hrs 10 mins)
termination time                        = 2.000E+00


3921 t 9.9983E-03 dt 2.55E-06 write d3plot file       10/19/22 13:54:38
5000 t 1.2749E-02 dt 2.55E-06 flush i/o buffers       10/19/22 13:54:39
7845 t 1.9998E-02 dt 2.55E-06 write d3plot file       10/19/22 13:54:40
10000 t 2.5484E-02 dt 2.54E-06 flush i/o buffers      10/19/22 13:54:41
11775 t 2.9999E-02 dt 2.54E-06 write d3plot file      10/19/22 13:54:41
15000 t 3.8195E-02 dt 2.54E-06 flush i/o buffers      10/19/22 13:54:43
15711 t 4.0000E-02 dt 2.54E-06 write d3plot file      10/19/22 13:54:43
19653 t 4.9998E-02 dt 2.53E-06 write d3plot file     10/19/22 13:54:44
20000 t 5.0877E-02 dt 2.53E-06 flush i/o buffers      10/19/22 13:54:44
23604 t 5.9999E-02 dt 2.53E-06 write d3plot file     10/19/22 13:54:46
25000 t 6.3528E-02 dt 2.53E-06 flush i/o buffers      10/19/22 13:54:46
27563 t 6.9999E-02 dt 2.52E-06 write d3plot file     10/19/22 13:54:47
30000 t 7.6143E-02 dt 2.52E-06 flush i/o buffers      10/19/22 13:54:48
31531 t 7.9998E-02 dt 2.52E-06 write d3plot file     10/19/22 13:54:48
35000 t 8.8719E-02 dt 2.51E-06 flush i/o buffers      10/19/22 13:54:50
35510 t 9.0000E-02 dt 2.51E-06 write d3plot file     10/19/22 13:54:50
39400 t 9.9999E-02 dt 2.50E-06 write d3plot file     10/19/22 13:54:54
```

Estimation of run time


Time step of writing d3plot (According to DT)

Time step of calculation (According to explicit method)

Cycle number of solution



LS-DYNA Run Window (Details and sense switch command)




sw1 - A restart (dump) file is written and LS-DYNA terminates.


sw2 - LS-DYNA responds with time and cycle numbers.

sw3 - A restart file is written and LS-DYNA continues.

Element Types (Family, Shape, Degree, Formulation)




Element Types (Family, Shape, Degree, Formulation)



	Full Integration	Reduced Integration
First Order Linear		
Second Order Non Linear		

Bullet Penetration Simulation



Geometry

- *No need in this simulation (New and practical without any geometry creation)*

Mesh

- **Shape Mesher / Element Editing / Element Generation**

Boundary Condition

- **Boundary -> SPC SET**

Material

- **MAT -> Plastic Kinematic (MAT 003)**
- **MAT -> Rigid (MAT 020)**

Section

- **Section -> Shell**
- **Section -> Solid**

Velocity

- **Initial -> Velocity Generation**

Termination

- **Control -> Termination**

Time Step

- **Database -> Binary D3plot**

Contact

- **Definition of interaction of two Lagrangian parts**
- **Contact -> Automatic Surface to Surface**

Gravity

- **Define -> Curve**
- **Load -> Body**



Course instructor

Ahmad Rahmati-Alaei

Assistant Professor, Department of Mechanical Engineering
National University of Skills (NUS), Tehran, Iran

AhmadRahmati16@gmail.com